

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

1/14

Annulus Deformation on Flexion/Extension

Fig. 1A Neutral




Fig. 1B




Fig. 1C Flexion





Fig. 1D Extension



2/14




Fig. 2A




Fig. 2B




Fig. 2C




Fig. 2D




Fig. 3A

3/14




Fig. 3B

4/14




Fig. 3C

5/14




Fig. 4




Fig. 5

6/14




Fig. 6




Fig. 7




Fig. 8

A hand-drawn technical drawing of a mechanical assembly, likely a pump or valve component, shown in multiple views. The drawing includes a central cross-sectional view and two side views at the top and bottom. Various parts are labeled with numbers:

- Top View (Left):** Shows a curved, ribbed structure with labels 514, 516, 518, 506, 502, 508, 522, 426, 418, 432, 400, 430, 434, 418, 410, 428, 402, 404, 412, 424, 414, 442, 438, and 408.
- Top View (Right):** Shows a rectangular block with a flange, labeled 614, 602, and 610.
- Bottom View (Left):** Shows a curved, ribbed structure similar to the top view, with labels 522, 508, 504, 514, 516, 518, 506, 610, 602, and 614.
- Bottom View (Right):** Shows a rectangular block with a flange, labeled 610, 602, and 614.

The drawing is a technical sketch, likely for a patent application, showing the internal structure and external features of the assembly. The labels are handwritten and point to specific components.

Fig. 10

Fig. 11

9/14




Fig. 12




Fig. 13




Fig. 14

10/14




Fig. 15




Fig. 16

11/14




Fig. 17




Fig. 18




Fig. 19

12/14




Fig. 20




Fig. 21









Fig. 22

Fig. 23



14/14

